Subject Index

A

Acetylcholine 43–50
Acoustic disturbances 279–280
Activation of the contractile system 155–163
Adenosine triphosphate (ATP) 133–136
Adrenalectomy 123–126
Alloperfused dog kidney 91–98, 99–104
Amino acid reabsorption, renal 115–121
Aminoaciduria 109–114
Angiotensin antagonist 217–223
– receptors 269–274
Arterial blood pressure 203–208
ATPase activity 155–163
Autonomic nervous system 269–274
Autoregulation 99–104
– of superficial nephron function 99–104

B

Basal sodium intake 73–79
Beta-Endorphin -induced hypothermia 87–90
Bicuculline 81–85
Blood flow autoregulation 91–98
– –, coronary 57–61
– – in the popliteal artery 241–248
– – – superficial glomeruli 91–98
– –, nasal, lingual 255–262
– perfused isolated dog kidneys 217–223
– pressure 203–208
Body temperature regulation 249–254
Bombesin 263–267
Brain 87–90
Brush-border vesicles 35–41
Burst parameters 1–5

C

Ca^{2+}-activation 155–163
Ca^{2+} free environment 133–136
Calcium 275–277
– activation 165–170
– binding of skinned muscle fibres 165–170
– ions, insect fibrillar muscle 155–163
Calorimetry, indirect 197–202
Capillary density 57–61
– diameter in the rat kidney 179–187
– recruitment 57–61
Capsaicin-desensitized rats 249–254
Carbohydrate energy 197–202
Cardiac purkinje fibers 17–26
Cell electrolyte concentrations 67–71
– water 67–71
Cerebellectomy 51–55
Cerebrovascular resistance 81–85, 203–208
Chloride 193–195, 217–223, 281–284
Cholecystokinin 263–267
– antagonist 263–267
Clearance experiments 109–114
– studies 123–126
Cold receptor 1–5
Collecting tubule 209–215
Concentration velocity 165–170
Contractile responses 43–50
Coronary blood flow 57–61
Countercurrent multiplier 7–15
Crossbridges 155–163
Culture of mammalian nephron epithelia 209–215

D

Delayed tension development 155–163
Denervation, muscle fibres 43–50
Descending limb of Henle 7–15
Diisopropylphosphorofluoridate 115–121
Doppler velocimeter 241–248

E

EGTA 165–170, 275–277
– -CaEGTA buffer 133–136
Elastic elements of attached crossbridges 155–163
Electromyography 51–55
Endplate current 127–132
Epinephrine 17–26
Epithelial differentiation 209–215
Epitheloid cells 209–215
Escape reaction 249–254
Evaporative tissues 255–262
Evoked responses 51–55
Exercise 105–108, 197–202
– test 241–248
Extracellular free calcium 275–277
– markers 67–71
– space determination 67–71
Eye muscles 51–55

F

Facilitation 127–132
Fanconi syndrome 109–114
Fibrillar muscle 155–163
Fluid secretion 275–277
Fluorescence videomicroscopy technique 137–143
Functional hyperemia 81–85
Furosemide 217–223

G

Glomerular blood flow 91–98
– dynamics 99–104
– filtration rate 123–126, 217–223
Glucose 35–41
– metabolism 197–202
Glycerinated smooth muscle 133–136
Glycine 109–114
Glycogen depleted and control subjects 197–202
– stores 197–202
Gravitation factor 171–178
Grooming behavior 249–254
Growth requirements 209–215

H

Harmaline 35–41
Hb_{O2} affinity 57–61
Heat load 255–262
– pain 249–254
Hemoglobin 57–61
Hemorrhagic hypotension 233–240
Henle's loop 209–215
– loops 7–15
Hexamethonium 269–274
High tension state 155–163
Hormonal nature of the natriuretic factor 73–79
Human stomach 145–153
Hydrocortisone 123–126
Hypothalamus-temperature regulation 255–262
Hypothermia 87–90

I

Ingestion of ^{13}C-glucose 197–202
Inorganic phosphate 123–126
Insect fibrillar muscle 155–163
Intestinal sodium transport 35–41
Intracellular Cl activity 193–195
Intrarenal blood flow distribution 233–240
In vivo kidney 63–66
Ionic environment 145–153
Isolated dog kidneys 217–223
– rat heart 57–61
Isometric tension development 165–170

J

Jejunum 35–41

K

K^+ concentration changes 189–192
K^+ microelectrodes 203–208
Ketamine 51–55
Kidney 123–126
– , amino acid transport 109–114, 115–121
– , autoregulation 99–104
– blood flow 233–240
– , blood flow autoregulation 91–98
– , cell culture 209–215
– , loop of Henle function 7–15
– , natriuretic factor 73–79
– , proximal tubular compliance 179–187

L

L-alanine 109–114
L-aspartate 109–114
L-Proline reabsorption 115–121

Subject Index

A

Acetylcholine 43–50
Acoustic disturbances 279–280
Activation of the contractile system 155–163
Adenosine triphosphate (ATP) 133–136
Adrenalectomy 123–126
Alloperfused dog kidney 91–98, 99–104
Amino acid reabsorption, renal 115–121
Aminoaciduria 109–114
Angiotensin antagonist 217–223
– receptors 269–274
Arterial blood pressure 203–208
ATPase activity 155–163
Autonomic nervous system 269–274
Autoregulation 99–104
– of superficial nephron function 99–104

B

Basal sodium intake 73–79
Beta-Endorphin -induced hypothermia 87–90
Bicuculline 81–85
Blood flow autoregulation 91–98
– –, coronary 57–61
– – in the popliteal artery 241–248
– – – superficial glomeruli 91–98
– –, nasal, lingual 255–262
– perfused isolated dog kidneys 217–223
– pressure 203–208
Body temperature regulation 249–254
Bombesin 263–267
Brain 87–90
Brush-border vesicles 35–41
Burst parameters 1–5

C

Ca^{2+}-activation 155–163
Ca^{2+} free environment 133–136
Calcium 275–277
– activation 165–170
– binding of skinned muscle fibres 165–170
– ions, insect fibrillar muscle 155–163
Calorimetry, indirect 197–202
Capillary density 57–61
– diameter in the rat kidney 179–187
– recruitment 57–61
Capsaicin-desensitized rats 249–254
Carbohydrate energy 197–202
Cardiac purkinje fibers 17–26
Cell electrolyte concentrations 67–71
– water 67–71
Cerebellectomy 51–55
Cerebrovascular resistance 81–85, 203–208
Chloride 193–195, 217–223, 281–284
Cholecystokinin 263–267
– antagonist 263–267
Clearance experiments 109–114
– studies 123–126
Cold receptor 1–5
Collecting tubule 209–215
Concentration velocity 165–170
Contractile responses 43–50
Coronary blood flow 57–61
Countercurrent multiplier 7–15
Crossbridges 155–163
Culture of mammalian nephron epithelia 209–215

D

Delayed tension development 155–163
Denervation, muscle fibres 43–50
Descending limb of Henle 7–15
Diisopropylphosphorofluoridate 115–121
Doppler velocimeter 241–248

E

EGTA 165–170, 275–277
– -CaEGTA buffer 133–136
Elastic elements of attached crossbridges 155–163
Electromyography 51–55
Endplate current 127–132
Epinephrine 17–26
Epithelial differentiation 209–215
Epitheloid cells 209–215
Escape reaction 249–254
Evaporative tissues 255–262
Evoked responses 51–55
Exercise 105–108, 197–202
– test 241–248
Extracellular free calcium 275–277
– markers 67–71
– space determination 67–71
Eye muscles 51–55

F

Facilitation 127–132
Fanconi syndrome 109–114
Fibrillar muscle 155–163
Fluid secretion 275–277
Fluorescence videomicroscopy technique 137–143
Functional hyperemia 81–85
Furosemide 217–223

G

Glomerular blood flow 91–98
– dynamics 99–104
– filtration rate 123–126, 217–223
Glucose 35–41
– metabolism 197–202
Glycerinated smooth muscle 133–136
Glycine 109–114
Glycogen depleted and control subjects 197–202
– stores 197–202
Gravitation factor 171–178
Grooming behavior 249–254
Growth requirements 209–215

H

Harmaline 35–41
Hb_{O2} affinity 57–61
Heat load 255–262
– pain 249–254
Hemoglobin 57–61
Hemorrhagic hypotension 233–240
Henle's loop 209–215
– loops 7–15
Hexamethonium 269–274
High tension state 155–163
Hormonal nature of the natriuretic factor 73–79
Human stomach 145–153
Hydrocortisone 123–126
Hypothalamus-temperature regulation 255–262
Hypothermia 87–90

I

Ingestion of ^{13}C-glucose 197–202
Inorganic phosphate 123–126
Insect fibrillar muscle 155–163
Intestinal sodium transport 35–41
Intracellular Cl activity 193–195
Intrarenal blood flow distribution 233–240
In vivo kidney 63–66
Ionic environment 145–153
Isolated dog kidneys 217–223
– rat heart 57–61
Isometric tension development 165–170

J

Jejunum 35–41

K

K^+ concentration changes 189–192
K^+ microelectrodes 203–208
Ketamine 51–55
Kidney 123–126
– , amino acid transport 109–114, 115–121
– , autoregulation 99–104
– blood flow 233–240
– , blood flow autoregulation 91–98
– , cell culture 209–215
– , loop of Henle function 7–15
– , natriuretic factor 73–79
– , proximal tubular compliance 179–187

L

L-alanine 109–114
L-aspartate 109–114
L-Proline reabsorption 115–121

Lacrimal gland 275–277
Light-emitting diode 279–280
Lingual nerve 1–5
Lipid metabolism 197–202
Lipids 105–108
Lipoprotein lipase activity 105–108
Liquid junction potential 281–284
Local chemical factors 203–208
Low impedance ion selective microelectrode 189–192
Lung electroplethysmography 171–178

M

Magnesium dependent contraction 133–136
Magnesium ions 155–163
Maleic acid 109–114
Maloxone 87–90
Membrane lipids 27–34
– potential 263–267
Mg-ATP 165–170
Mg^{2+}-deprivation 155–163
Microcirculation 137–143
Microelectrode 189–192
Microperfusion 109–114, 115–121
Micropuncture 109–114
Microsphere size 233–240
Microspheres 91–98
Miniature endplate potentials 127–132
Muscle contraction 133–136
– lipoprotein lipase 105–108
–, papillary 281–284
–, smooth, from stomach 145–153
Myofilament binding site 165–170

N

N^2,O^2 dibutyryl guanosine 3':5'-monophosphate 263–267
Na channels 43–50
Na current 27–34
Na-Fluorescein 137–143
Nasal and lingual blood flow 255–262
Natriuretic factor 73–79
Nephron epithelia 209–215
Neurogenic vasomotoric reaction 171–178
Neuromuscular transmission 127–132
Node of ranvier 27–34
Noradrenaline 269–274
Nose 255–262

O

O_2 affinity P_{50} 57–61
Occlusion plethysmography 241–248
Opiate receptors 87–90
Oxygen consumption 225–231
– delivery 57–61

P

Pacemaker activity 17–26
Pacemaking mechanism 17–26
Pain 249–254
Pancreatic acini 263–267
Panting 255–262
Papillary muscle 281–284
Parathyroidectomized rats 123–126
Pericapillary distribution and clearance of Na-fluorescein 137–143
Perfusion pressure 91–98
Periodic changes of blood flow 63–66
Perivascular H^+ and K^+ activities 203–208
– pH 81–85
pH microelectrodes 81–85, 203–208
Phase transition 27–34
Phentolamine 81–85, 269–274
Physical exercise 105–108
Pial arterial diameter 81–85, 203–208
Plateau potentials 17–26
Plethysmography 241–248
Potassium ions, microelectrode measurement 189–192
Pressor agents 269–274
– responses to angiotensins I and II 269–274
Pressure induced changes of renal vascular resistance 63–66
Propranol 269–274
Protein conformation 27–34
Proximal tubular compliance 179–187
– tubule 109–114
Purkinje fibers 17–26

Q

Quantal content 127–132

R

Reabsorption mechanism of amino acids 109–114
Receptors, pancreatic acini 263–267
Recruitment 57–61
Regional blood volume changes 171–178
Renal amino acid transport 109–114
– blood flow 217–223, 233–240
– – – autoregulation 99–104
– – – distribution 91–98
– – –, periodic changes 63–66
– Na transport, natriuretic factor 73–79
– phosphate transport 123–126
– tubular function 7–15
– tubule 115–121
– – compliance 179–187

S

Salivary cooling 249–254
– glands 249–254
Seizures 81–85
Serotonin 87–90
Serotoninergic mechanism 87–90
Skeletal muscle 105–108, 133–136, 193–195
Skinned muscle fibres 165–170
Sleeping and waking 225–231
Slow muscle fibres 43–50
– wave 145–153
Small intestine 67–71
Smooth muscle of the circular layer 145–153
Sodium 35–41
– contents of the diet 73–79
– current, nerve and muscle membranes 27–34
– -dependent-glucose transport 35–41
– – transport systems 35–41
– excretion 217–223
– transport 123–126
– uptake into brushborder membrane 35–41
Static discharge 1–5
Stomach 145–153
Substrate utilization 197–202
Sulphate 217–223
Superficial nephron function 99–104
Sylgard seal 7–15
Synaptic delay 127–132

T

Temperature effects on Na current 27–34
– of body 225–231
– regulation 87–90, 255–262
Tension development 133–136
Tetrodotoxin 43–50
Thermal exchanges 225–231
– stimuli 1–5
Thermogenesis 225–231
Thermolysis 225–231
Tongue 255–262
Transcapillary exchange 137–143
Transport kinetics 115–121
– of inorganic phosphate 123–126
Tubular compliance 179–187
– diameter 179–187
Tubuloglomerular balance 217–223
Twitch muscle fiber 27–34

U

Urea permeability 7–15
Urine excretion 217–223

V

Vascular smooth muscle 81–85
Vasomotor adjustments 255–262
– reaction 171–178
Vegetative nerves stimulation 171–178
Venous occlusion 241–248
Vertical vestibulooocular reflex 51–55
Vestibuloocular reflex 51–55
Videomicroscopy 137–143
Visual evoked potentials 279–280
Voltage clamp 17–26, 27–34

W

Waking and sleeping 225–231
Water excretion 217–223
– permeability of the descending 7–15
– – (osmotic) 7–15